

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-127872-1

Client Project/Site: Satralloy Industrial SWPPP

For:

Golder Associates Inc.
1335 Dublin Road
Suite 126-D
Columbus, Ohio 43215

Attn: Mr. Bob Ireson



Authorized for release by:
3/26/2020 4:30:48 PM

Kris Brooks, Project Manager II
(330)966-9790
kris.brooks@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	10
QC Sample Results	20
QC Association Summary	23
Lab Chronicle	26
Certification Summary	29
Chain of Custody	30



Definitions/Glossary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Job ID: 240-127872-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: Golder Associates Inc.

Project: Satralloy Industrial SWPPP

Report Number: 240-127872-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 3/19/2020 3:15 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.0° C.

TOTAL RECOVERABLE METALS (ICPMS)

Samples FD (240-127872-1), DS01 (240-127872-2), ISWP-001 (GC-01D) (240-127872-3), ISWP-003 (GC-03D) (240-127872-4), ISWP-004 (GC-04D) (240-127872-5), ISWP-005 (GC-05D) (240-127872-6), ISWP-006 (GC-06D) (240-127872-7), ISWP-007 (GC-09D) (240-127872-8), ISWP-009 (GC-11D) (240-127872-9) and US01 (240-127872-10) were analyzed for total recoverable metals (ICPMS) in accordance with EPA Method 200.8. The samples were prepared on 03/20/2020 and analyzed on 03/23/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL DISSOLVED SOLIDS

Samples FD (240-127872-1), DS01 (240-127872-2), ISWP-001 (GC-01D) (240-127872-3), ISWP-003 (GC-03D) (240-127872-4), ISWP-004 (GC-04D) (240-127872-5), ISWP-005 (GC-05D) (240-127872-6), ISWP-006 (GC-06D) (240-127872-7), ISWP-007 (GC-09D) (240-127872-8), ISWP-009 (GC-11D) (240-127872-9) and US01 (240-127872-10) were analyzed for total dissolved solids in accordance with SM 2540C. The samples were analyzed on 03/25/2020.

Case Narrative

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Job ID: 240-127872-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL SUSPENDED SOLIDS

Samples FD (240-127872-1), DS01 (240-127872-2), ISWP-001 (GC-01D) (240-127872-3), ISWP-003 (GC-03D) (240-127872-4), ISWP-004 (GC-04D) (240-127872-5), ISWP-005 (GC-05D) (240-127872-6), ISWP-006 (GC-06D) (240-127872-7), ISWP-007 (GC-09D) (240-127872-8), ISWP-009 (GC-11D) (240-127872-9) and US01 (240-127872-10) were analyzed for total suspended solids in accordance with SM 2540D. The samples were analyzed on 03/25/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

HEXAVALENT CHROMIUM

Samples FD (240-127872-1), DS01 (240-127872-2), ISWP-001 (GC-01D) (240-127872-3), ISWP-003 (GC-03D) (240-127872-4), ISWP-004 (GC-04D) (240-127872-5), ISWP-005 (GC-05D) (240-127872-6), ISWP-006 (GC-06D) (240-127872-7), ISWP-007 (GC-09D) (240-127872-8), ISWP-009 (GC-11D) (240-127872-9) and US01 (240-127872-10) were analyzed for hexavalent chromium in accordance with SM 3500 CR B. The samples were analyzed on 03/20/2020.

Filtration through a 0.45um filter within 15 minutes of sampling is required for CWA reporting of hexavalent chromium to prevent interconversion of chromium species.

Samples FD (240-127872-1)[2X], ISWP-001 (GC-01D) (240-127872-3)[2X], ISWP-003 (GC-03D) (240-127872-4)[5X], ISWP-004 (GC-04D) (240-127872-5)[5X], ISWP-005 (GC-05D) (240-127872-6)[5X], ISWP-009 (GC-11D) (240-127872-9)[5X] and US01 (240-127872-10)[2X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

PH

Samples FD (240-127872-1), DS01 (240-127872-2), ISWP-001 (GC-01D) (240-127872-3), ISWP-003 (GC-03D) (240-127872-4), ISWP-004 (GC-04D) (240-127872-5), ISWP-005 (GC-05D) (240-127872-6), ISWP-006 (GC-06D) (240-127872-7), ISWP-007 (GC-09D) (240-127872-8), ISWP-009 (GC-11D) (240-127872-9) and US01 (240-127872-10) were analyzed for pH in accordance with SM 4500 H+ B. The samples were analyzed on 03/19/2020.

Method SM 4500 H+ B: The pH for the following samples were outside the instrument calibration range of 2 to 12: FD (240-127872-1), ISWP-003 (GC-03D) (240-127872-4) and ISWP-009 (GC-11D) (240-127872-9).

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Method	Method Description	Protocol	Laboratory
200.8	Metals (ICP/MS)	EPA	TAL CAN
3500-Cr B-2009	Chromium, Hexavalent	SM	TAL CAN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL CAN
SM 2540D	Solids, Total Suspended (TSS)	SM	TAL CAN
SM 4500 H+ B	pH	SM	TAL CAN
200.8	Preparation, Total Recoverable Metals	EPA	TAL CAN

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Sample Summary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-127872-1	FD	Water	03/19/20 00:00	03/19/20 15:15	
240-127872-2	DS01	Water	03/19/20 11:42	03/19/20 15:15	
240-127872-3	ISWP-001 (GC-01D)	Water	03/19/20 11:33	03/19/20 15:15	
240-127872-4	ISWP-003 (GC-03D)	Water	03/19/20 11:18	03/19/20 15:15	
240-127872-5	ISWP-004 (GC-04D)	Water	03/19/20 11:11	03/19/20 15:15	
240-127872-6	ISWP-005 (GC-05D)	Water	03/19/20 11:06	03/19/20 15:15	
240-127872-7	ISWP-006 (GC-06D)	Water	03/19/20 10:55	03/19/20 15:15	
240-127872-8	ISWP-007 (GC-09D)	Water	03/19/20 10:50	03/19/20 15:15	
240-127872-9	ISWP-009 (GC-11D)	Water	03/19/20 10:30	03/19/20 15:15	
240-127872-10	US01	Water	03/19/20 10:10	03/19/20 15:15	

Detection Summary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: FD

Lab Sample ID: 240-127872-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	230		2.0	0.98	ug/L	1		200.8	Total Recoverable
Cr (VI)	0.24		0.040	0.014	mg/L	2		3500-Cr B-2009	Total/NA
Total Dissolved Solids	360		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	11		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	12.1	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

Client Sample ID: DS01

Lab Sample ID: 240-127872-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	7.2		2.0	0.98	ug/L	1		200.8	Total Recoverable
Total Dissolved Solids	360		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	260		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	8.2	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

Client Sample ID: ISWP-001 (GC-01D)

Lab Sample ID: 240-127872-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	94		2.0	0.98	ug/L	1		200.8	Total Recoverable
Cr (VI)	0.10		0.040	0.014	mg/L	2		3500-Cr B-2009	Total/NA
Total Dissolved Solids	670		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	3.0	J	4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	7.9	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

Client Sample ID: ISWP-003 (GC-03D)

Lab Sample ID: 240-127872-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	470		2.0	0.98	ug/L	1		200.8	Total Recoverable
Cr (VI)	0.50		0.10	0.035	mg/L	5		3500-Cr B-2009	Total/NA
Total Dissolved Solids	1200		40	31	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	84		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	12.5	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

Client Sample ID: ISWP-004 (GC-04D)

Lab Sample ID: 240-127872-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	450		2.0	0.98	ug/L	1		200.8	Total Recoverable
Cr (VI)	0.39		0.10	0.035	mg/L	5		3500-Cr B-2009	Total/NA
Total Dissolved Solids	1100		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	11		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	11.4	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

Client Sample ID: ISWP-005 (GC-05D)

Lab Sample ID: 240-127872-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	290		2.0	0.98	ug/L	1		200.8	Total Recoverable
Cr (VI)	0.19		0.10	0.035	mg/L	5		3500-Cr B-2009	Total/NA
Total Dissolved Solids	580		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	69		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	8.7		0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Detection Summary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-006 (GC-06D)

Lab Sample ID: 240-127872-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	34		2.0	0.98	ug/L	1		200.8	Total Recoverable
Cr (VI)	0.028		0.020	0.0070	mg/L	1		3500-Cr B-2009	Total/NA
Total Dissolved Solids	260		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	13		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	8.4	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

Client Sample ID: ISWP-007 (GC-09D)

Lab Sample ID: 240-127872-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	260		2.0	0.98	ug/L	1		200.8	Total Recoverable
Cr (VI)	0.061		0.020	0.0070	mg/L	1		3500-Cr B-2009	Total/NA
Total Dissolved Solids	320		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	150		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	8.5	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

Client Sample ID: ISWP-009 (GC-11D)

Lab Sample ID: 240-127872-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	230		2.0	0.98	ug/L	1		200.8	Total Recoverable
Cr (VI)	0.15	F2	0.10	0.035	mg/L	5		3500-Cr B-2009	Total/NA
Total Dissolved Solids	370		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	11		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	12.1	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

Client Sample ID: US01

Lab Sample ID: 240-127872-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	8.7		2.0	0.98	ug/L	1		200.8	Total Recoverable
Total Dissolved Solids	260		10	7.8	mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	290		4.0	2.2	mg/L	1		SM 2540D	Total/NA
pH	8.2	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: FD

Date Collected: 03/19/20 00:00

Date Received: 03/19/20 15:15

Lab Sample ID: 240-127872-1

Matrix: Water

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	230		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:18	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.24		0.040	0.014	mg/L			03/20/20 06:30	2
Total Dissolved Solids	360		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	11		4.0	2.2	mg/L			03/25/20 07:46	1
pH	12.1	HF	0.1	0.1	SU			03/19/20 20:15	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: DS01

Date Collected: 03/19/20 11:42

Date Received: 03/19/20 15:15

Lab Sample ID: 240-127872-2

Matrix: Water

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	7.2		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	<0.0070		0.020	0.0070	mg/L			03/20/20 06:30	1
Total Dissolved Solids	360		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	260		4.0	2.2	mg/L			03/25/20 07:46	1
pH	8.2	HF	0.1	0.1	SU			03/19/20 20:30	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-001 (GC-01D)

Lab Sample ID: 240-127872-3

Date Collected: 03/19/20 11:33

Matrix: Water

Date Received: 03/19/20 15:15

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	94		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:30	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.10		0.040	0.014	mg/L			03/20/20 06:30	2
Total Dissolved Solids	670		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	3.0	J	4.0	2.2	mg/L			03/25/20 07:46	1
pH	7.9	HF	0.1	0.1	SU			03/19/20 18:16	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-003 (GC-03D)

Lab Sample ID: 240-127872-4

Date Collected: 03/19/20 11:18

Matrix: Water

Date Received: 03/19/20 15:15

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	470		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:33	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.50		0.10	0.035	mg/L			03/20/20 06:30	5
Total Dissolved Solids	1200		40	31	mg/L			03/25/20 06:20	1
Total Suspended Solids	84		4.0	2.2	mg/L			03/25/20 07:46	1
pH	12.5	HF	0.1	0.1	SU			03/19/20 20:45	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-004 (GC-04D)

Lab Sample ID: 240-127872-5

Date Collected: 03/19/20 11:11

Matrix: Water

Date Received: 03/19/20 15:15

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	450		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:35	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.39		0.10	0.035	mg/L			03/20/20 06:30	5
Total Dissolved Solids	1100		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	11		4.0	2.2	mg/L			03/25/20 07:46	1
pH	11.4	HF	0.1	0.1	SU			03/19/20 19:16	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-005 (GC-05D)

Lab Sample ID: 240-127872-6

Date Collected: 03/19/20 11:06

Matrix: Water

Date Received: 03/19/20 15:15

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	290		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.19		0.10	0.035	mg/L			03/20/20 06:30	5
Total Dissolved Solids	580		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	69		4.0	2.2	mg/L			03/25/20 07:46	1
pH	8.7		0.1	0.1	SU			03/19/20 18:02	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-006 (GC-06D)

Lab Sample ID: 240-127872-7

Date Collected: 03/19/20 10:55

Matrix: Water

Date Received: 03/19/20 15:15

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	34		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:45	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.028		0.020	0.0070	mg/L			03/20/20 06:30	1
Total Dissolved Solids	260		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	13		4.0	2.2	mg/L			03/25/20 07:46	1
pH	8.4	HF	0.1	0.1	SU			03/19/20 18:46	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-007 (GC-09D)

Lab Sample ID: 240-127872-8

Date Collected: 03/19/20 10:50

Matrix: Water

Date Received: 03/19/20 15:15

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	260		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:48	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.061		0.020	0.0070	mg/L			03/20/20 06:30	1
Total Dissolved Solids	320		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	150		4.0	2.2	mg/L			03/25/20 08:33	1
pH	8.5	HF	0.1	0.1	SU			03/19/20 18:31	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-009 (GC-11D)

Lab Sample ID: 240-127872-9

Date Collected: 03/19/20 10:30

Matrix: Water

Date Received: 03/19/20 15:15

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	230		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	0.15	F2	0.10	0.035	mg/L			03/20/20 06:30	5
Total Dissolved Solids	370		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	11		4.0	2.2	mg/L			03/25/20 08:33	1
pH	12.1	HF	0.1	0.1	SU			03/19/20 19:31	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: US01

Lab Sample ID: 240-127872-10

Date Collected: 03/19/20 10:10

Matrix: Water

Date Received: 03/19/20 15:15

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	8.7		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	<0.014		0.040	0.014	mg/L			03/20/20 06:30	2
Total Dissolved Solids	260		10	7.8	mg/L			03/25/20 06:10	1
Total Suspended Solids	290		4.0	2.2	mg/L			03/25/20 08:33	1
pH	8.2	HF	0.1	0.1	SU			03/19/20 19:46	1

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 240-427620/1-A
Matrix: Water
Analysis Batch: 428007

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 427620

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	<0.98		2.0	0.98	ug/L		03/20/20 12:00	03/23/20 19:13	1

Lab Sample ID: LCS 240-427620/2-A
Matrix: Water
Analysis Batch: 428007

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 427620

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium	500	475		ug/L		95	85 - 115

Lab Sample ID: 240-127872-1 MS
Matrix: Water
Analysis Batch: 428007

Client Sample ID: FD
Prep Type: Total Recoverable
Prep Batch: 427620

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium	230		500	757		ug/L		106	70 - 130

Lab Sample ID: 240-127872-1 MSD
Matrix: Water
Analysis Batch: 428007

Client Sample ID: FD
Prep Type: Total Recoverable
Prep Batch: 427620

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium	230		500	742		ug/L		103	70 - 130	2	20

Method: 3500-Cr B-2009 - Chromium, Hexavalent

Lab Sample ID: MB 240-427584/3
Matrix: Water
Analysis Batch: 427584

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	<0.0070		0.020	0.0070	mg/L			03/20/20 06:30	1

Lab Sample ID: LCS 240-427584/4
Matrix: Water
Analysis Batch: 427584

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cr (VI)	0.250	0.244		mg/L		98	80 - 123

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 240-428197/1
Matrix: Water
Analysis Batch: 428197

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<7.8		10	7.8	mg/L			03/25/20 06:10	1

Eurofins TestAmerica, Canton

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 240-428197/2

Matrix: Water

Analysis Batch: 428197

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	661	619		mg/L		94	80 - 120

Lab Sample ID: 240-127872-9 DU

Matrix: Water

Analysis Batch: 428197

Client Sample ID: ISWP-009 (GC-11D)

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	370		358		mg/L		3	20

Lab Sample ID: MB 240-428202/1

Matrix: Water

Analysis Batch: 428202

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<7.8		10	7.8	mg/L			03/25/20 06:20	1

Lab Sample ID: LCS 240-428202/2

Matrix: Water

Analysis Batch: 428202

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	661	723		mg/L		109	80 - 120

Method: SM 2540D - Solids, Total Suspended (TSS)

Lab Sample ID: MB 240-428234/1

Matrix: Water

Analysis Batch: 428234

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	<2.2		4.0	2.2	mg/L			03/25/20 07:46	1

Lab Sample ID: LCS 240-428234/2

Matrix: Water

Analysis Batch: 428234

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Suspended Solids	34.3	36.0		mg/L		105	64 - 120

Lab Sample ID: MB 240-428241/1

Matrix: Water

Analysis Batch: 428241

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	<2.2		4.0	2.2	mg/L			03/25/20 08:33	1

Eurofins TestAmerica, Canton

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Method: SM 2540D - Solids, Total Suspended (TSS) (Continued)

Lab Sample ID: LCS 240-428241/2

Matrix: Water

Analysis Batch: 428241

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Suspended Solids	34.3	39.0		mg/L		114	64 - 120

Method: SM 4500 H+ B - pH

Lab Sample ID: LCS 240-427414/27

Matrix: Water

Analysis Batch: 427414

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
pH	6.00	6.1		SU		102	97 - 103

Lab Sample ID: 240-127872-10 DU

Matrix: Water

Analysis Batch: 427414

Client Sample ID: US01

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	8.2	HF	8.2		SU		0.1	20

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Metals

Prep Batch: 427620

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-127872-1	FD	Total Recoverable	Water	200.8	
240-127872-2	DS01	Total Recoverable	Water	200.8	
240-127872-3	ISWP-001 (GC-01D)	Total Recoverable	Water	200.8	
240-127872-4	ISWP-003 (GC-03D)	Total Recoverable	Water	200.8	
240-127872-5	ISWP-004 (GC-04D)	Total Recoverable	Water	200.8	
240-127872-6	ISWP-005 (GC-05D)	Total Recoverable	Water	200.8	
240-127872-7	ISWP-006 (GC-06D)	Total Recoverable	Water	200.8	
240-127872-8	ISWP-007 (GC-09D)	Total Recoverable	Water	200.8	
240-127872-9	ISWP-009 (GC-11D)	Total Recoverable	Water	200.8	
240-127872-10	US01	Total Recoverable	Water	200.8	
MB 240-427620/1-A	Method Blank	Total Recoverable	Water	200.8	
LCS 240-427620/2-A	Lab Control Sample	Total Recoverable	Water	200.8	
240-127872-1 MS	FD	Total Recoverable	Water	200.8	
240-127872-1 MSD	FD	Total Recoverable	Water	200.8	

Analysis Batch: 428007

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-127872-1	FD	Total Recoverable	Water	200.8	427620
240-127872-2	DS01	Total Recoverable	Water	200.8	427620
240-127872-3	ISWP-001 (GC-01D)	Total Recoverable	Water	200.8	427620
240-127872-4	ISWP-003 (GC-03D)	Total Recoverable	Water	200.8	427620
240-127872-5	ISWP-004 (GC-04D)	Total Recoverable	Water	200.8	427620
240-127872-6	ISWP-005 (GC-05D)	Total Recoverable	Water	200.8	427620
240-127872-7	ISWP-006 (GC-06D)	Total Recoverable	Water	200.8	427620
240-127872-8	ISWP-007 (GC-09D)	Total Recoverable	Water	200.8	427620
240-127872-9	ISWP-009 (GC-11D)	Total Recoverable	Water	200.8	427620
240-127872-10	US01	Total Recoverable	Water	200.8	427620
MB 240-427620/1-A	Method Blank	Total Recoverable	Water	200.8	427620
LCS 240-427620/2-A	Lab Control Sample	Total Recoverable	Water	200.8	427620
240-127872-1 MS	FD	Total Recoverable	Water	200.8	427620
240-127872-1 MSD	FD	Total Recoverable	Water	200.8	427620

General Chemistry

Analysis Batch: 427414

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-127872-1	FD	Total/NA	Water	SM 4500 H+ B	
240-127872-2	DS01	Total/NA	Water	SM 4500 H+ B	
240-127872-3	ISWP-001 (GC-01D)	Total/NA	Water	SM 4500 H+ B	
240-127872-4	ISWP-003 (GC-03D)	Total/NA	Water	SM 4500 H+ B	
240-127872-5	ISWP-004 (GC-04D)	Total/NA	Water	SM 4500 H+ B	
240-127872-6	ISWP-005 (GC-05D)	Total/NA	Water	SM 4500 H+ B	
240-127872-7	ISWP-006 (GC-06D)	Total/NA	Water	SM 4500 H+ B	
240-127872-8	ISWP-007 (GC-09D)	Total/NA	Water	SM 4500 H+ B	
240-127872-9	ISWP-009 (GC-11D)	Total/NA	Water	SM 4500 H+ B	
240-127872-10	US01	Total/NA	Water	SM 4500 H+ B	
LCS 240-427414/27	Lab Control Sample	Total/NA	Water	SM 4500 H+ B	
240-127872-10 DU	US01	Total/NA	Water	SM 4500 H+ B	

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

General Chemistry

Analysis Batch: 427584

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-127872-1	FD	Total/NA	Water	3500-Cr B-2009	
240-127872-2	DS01	Total/NA	Water	3500-Cr B-2009	
240-127872-3	ISWP-001 (GC-01D)	Total/NA	Water	3500-Cr B-2009	
240-127872-4	ISWP-003 (GC-03D)	Total/NA	Water	3500-Cr B-2009	
240-127872-5	ISWP-004 (GC-04D)	Total/NA	Water	3500-Cr B-2009	
240-127872-6	ISWP-005 (GC-05D)	Total/NA	Water	3500-Cr B-2009	
240-127872-7	ISWP-006 (GC-06D)	Total/NA	Water	3500-Cr B-2009	
240-127872-8	ISWP-007 (GC-09D)	Total/NA	Water	3500-Cr B-2009	
240-127872-9	ISWP-009 (GC-11D)	Total/NA	Water	3500-Cr B-2009	
240-127872-10	US01	Total/NA	Water	3500-Cr B-2009	
MB 240-427584/3	Method Blank	Total/NA	Water	3500-Cr B-2009	
LCS 240-427584/4	Lab Control Sample	Total/NA	Water	3500-Cr B-2009	

Analysis Batch: 428197

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-127872-1	FD	Total/NA	Water	SM 2540C	
240-127872-2	DS01	Total/NA	Water	SM 2540C	
240-127872-3	ISWP-001 (GC-01D)	Total/NA	Water	SM 2540C	
240-127872-5	ISWP-004 (GC-04D)	Total/NA	Water	SM 2540C	
240-127872-6	ISWP-005 (GC-05D)	Total/NA	Water	SM 2540C	
240-127872-7	ISWP-006 (GC-06D)	Total/NA	Water	SM 2540C	
240-127872-8	ISWP-007 (GC-09D)	Total/NA	Water	SM 2540C	
240-127872-9	ISWP-009 (GC-11D)	Total/NA	Water	SM 2540C	
240-127872-10	US01	Total/NA	Water	SM 2540C	
MB 240-428197/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 240-428197/2	Lab Control Sample	Total/NA	Water	SM 2540C	
240-127872-9 DU	ISWP-009 (GC-11D)	Total/NA	Water	SM 2540C	

Analysis Batch: 428202

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-127872-4	ISWP-003 (GC-03D)	Total/NA	Water	SM 2540C	
MB 240-428202/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 240-428202/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 428234

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-127872-1	FD	Total/NA	Water	SM 2540D	
240-127872-2	DS01	Total/NA	Water	SM 2540D	
240-127872-3	ISWP-001 (GC-01D)	Total/NA	Water	SM 2540D	
240-127872-4	ISWP-003 (GC-03D)	Total/NA	Water	SM 2540D	
240-127872-5	ISWP-004 (GC-04D)	Total/NA	Water	SM 2540D	
240-127872-6	ISWP-005 (GC-05D)	Total/NA	Water	SM 2540D	
240-127872-7	ISWP-006 (GC-06D)	Total/NA	Water	SM 2540D	
MB 240-428234/1	Method Blank	Total/NA	Water	SM 2540D	
LCS 240-428234/2	Lab Control Sample	Total/NA	Water	SM 2540D	

Analysis Batch: 428241

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-127872-8	ISWP-007 (GC-09D)	Total/NA	Water	SM 2540D	
240-127872-9	ISWP-009 (GC-11D)	Total/NA	Water	SM 2540D	
240-127872-10	US01	Total/NA	Water	SM 2540D	

Eurofins TestAmerica, Canton

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

General Chemistry (Continued)

Analysis Batch: 428241 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 240-428241/1	Method Blank	Total/NA	Water	SM 2540D	
LCS 240-428241/2	Lab Control Sample	Total/NA	Water	SM 2540D	

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: FD

Date Collected: 03/19/20 00:00

Date Received: 03/19/20 15:15

Lab Sample ID: 240-127872-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:18	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		2	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428234	03/25/20 07:46	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 20:15	BLW	TAL CAN

Client Sample ID: DS01

Date Collected: 03/19/20 11:42

Date Received: 03/19/20 15:15

Lab Sample ID: 240-127872-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:28	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		1	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428234	03/25/20 07:46	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 20:30	BLW	TAL CAN

Client Sample ID: ISWP-001 (GC-01D)

Date Collected: 03/19/20 11:33

Date Received: 03/19/20 15:15

Lab Sample ID: 240-127872-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:30	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		2	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428234	03/25/20 07:46	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 18:16	BLW	TAL CAN

Client Sample ID: ISWP-003 (GC-03D)

Date Collected: 03/19/20 11:18

Date Received: 03/19/20 15:15

Lab Sample ID: 240-127872-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:33	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		5	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428202	03/25/20 06:20	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428234	03/25/20 07:46	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 20:45	BLW	TAL CAN

Eurofins TestAmerica, Canton

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-004 (GC-04D)

Lab Sample ID: 240-127872-5

Date Collected: 03/19/20 11:11

Matrix: Water

Date Received: 03/19/20 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:35	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		5	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428234	03/25/20 07:46	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 19:16	BLW	TAL CAN

Client Sample ID: ISWP-005 (GC-05D)

Lab Sample ID: 240-127872-6

Date Collected: 03/19/20 11:06

Matrix: Water

Date Received: 03/19/20 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:43	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		5	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428234	03/25/20 07:46	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 18:02	BLW	TAL CAN

Client Sample ID: ISWP-006 (GC-06D)

Lab Sample ID: 240-127872-7

Date Collected: 03/19/20 10:55

Matrix: Water

Date Received: 03/19/20 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:45	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		1	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428234	03/25/20 07:46	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 18:46	BLW	TAL CAN

Client Sample ID: ISWP-007 (GC-09D)

Lab Sample ID: 240-127872-8

Date Collected: 03/19/20 10:50

Matrix: Water

Date Received: 03/19/20 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:48	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		1	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428241	03/25/20 08:33	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 18:31	BLW	TAL CAN

Eurofins TestAmerica, Canton

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Client Sample ID: ISWP-009 (GC-11D)

Lab Sample ID: 240-127872-9

Date Collected: 03/19/20 10:30

Matrix: Water

Date Received: 03/19/20 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:50	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		5	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428241	03/25/20 08:33	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 19:31	BLW	TAL CAN

Client Sample ID: US01

Lab Sample ID: 240-127872-10

Date Collected: 03/19/20 10:10

Matrix: Water

Date Received: 03/19/20 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			427620	03/20/20 12:00	MRL	TAL CAN
Total Recoverable	Analysis	200.8		1	428007	03/23/20 19:53	DTN	TAL CAN
Total/NA	Analysis	3500-Cr B-2009		2	427584	03/20/20 06:30	AMT	TAL CAN
Total/NA	Analysis	SM 2540C		1	428197	03/25/20 06:10	JR	TAL CAN
Total/NA	Analysis	SM 2540D		1	428241	03/25/20 08:33	JR	TAL CAN
Total/NA	Analysis	SM 4500 H+ B		1	427414	03/19/20 19:46	BLW	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: Golder Associates Inc.
Project/Site: Satralloy Industrial SWPPP

Job ID: 240-127872-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20 *
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19 *
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton

TestAmerica Canton
4101 Shuffel Street NW
North Canton, OH 44720
Phone (330) 497-9396 Fax (330) 497-0772

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Information		Lab PM		Carrier Tracking Note(s)		COG No:							
Company: Golder Associates Inc.		Brooks, Kris M - (330) 968-9790		Fedex		Page: 1 of 1							
Address: 1335 Dublin Road, Suite 126-D Columbus OH, 43215 Phone: 614-486-1700 Email: bob.ireson@golder.com		Lab PM: Dylan Thomas E-Mail: kris.brooks@testamericainc.com				Job #:							
Project Name: Industrial SWPPP		Project #: 1239330908.200											
Site: Satralloy		SSOW#											
Due Date Requested:		TAT Requested (days):		Analysis Requested		Preservation Codes:							
Normal		Purchase Order not required				A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:							
PO #:		VVO #:				M - Hexane N - None O - AsNaO2 P - Na2O4S R - Na2SO3 S - H2SO4 T - TSP Dodecylate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)							
Sample Identification		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=other, B=blank, A=air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total Suspended Solids (TSS)	pH	Hexavalent Chromium	Total Chromium	Total Dissolved Solids (TDS)	Special Instructions/Note:
FD	3/19/20	1142	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
DS01	3/19/20	1133	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-001 (GC-01D)	3/19/20	1118	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-002 (GC-02D)	3/19/20	1106	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-003 (GC-03D)	3/19/20	1055	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-004 (GC-04D)	3/19/20	1050	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-005 (GC-05D)	3/19/20	1036	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-006 (GC-06D)	3/19/20	1007	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-007 (GC-07D)	3/19/20	1010	G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-008 (GC-08D)	3/19/20		G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-009 (GC-09D)	3/19/20		G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-010 (GC-10D)	3/19/20		G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-011 (GC-11D)	3/19/20		G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
ISWP-012 (GC-12D)	3/19/20		G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
US01	3/19/20		G	W	N	N	N	N	N	N	N	N	2 SHORT HOLD TIME ON HEX Cr
Possible Hazard Identification		Deliverable Requested: I, II, III, IV, Other (specify)		Empty Kit Relinquished by:		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		Return To Client		Disposal By Lab		Archive For	
Non-Hazard		Flammable		Skin Irritant		Poison B		Unknown		Radiological		Months	
Relinquished by:		Date:		Company:		Time:		Method of Shipment:		Date/Time:		Company:	
Relinquished by:		Date:		Company:		Time:		Method of Shipment:		Date/Time:		Company:	
Relinquished by:		Date:		Company:		Time:		Method of Shipment:		Date/Time:		Company:	
Custody Seal No.:		Custody Seal Intact:		Cooler Temperature(s) °C and Other Remarks:									
Δ Yes Δ No													

Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login #: 127872

Client Golder Associates

Site Name _____

Cooler unpacked by: [Signature]Cooler Received on 3-19-20Opened on 3-19-20FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____

Storage Location _____

TestAmerica Cooler # 714 Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

☐ See Multiple Cooler FormIR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. 2.3 °C Corrected Cooler Temp. 3.0 °C

IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA-Were tamper/custody seals intact and uncompromised? Yes No NA3. Shippers' packing slip attached to the cooler(s)? Yes No4. Did custody papers accompany the sample(s)? Yes No5. Were the custody papers relinquished & signed in the appropriate place? Yes No6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No7. Did all bottles arrive in good condition (Unbroken)? Yes No8. Could all bottle labels be reconciled with the COC? Yes No9. Were correct bottle(s) used for the test(s) indicated? Yes No10. Sufficient quantity received to perform indicated analyses? Yes No11. Are these work share samples? Yes No

If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC99536413. Were VOAs on the COC? Yes No14. Were air bubbles >6 mm in any VOA vials? Yes No NA15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No16. Was a LL Hg or Me Hg trip blank present? Yes NoTests that are not
checked for pH by
Receiving:VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WT-NC-099

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservative</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added (mls)</u>	<u>Lot #</u>
FD	240-127872-A-1	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DS01	240-127872-A-2	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
ISWP-001 (GC-01D)	240-127872-A-3	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
ISWP-003 (GC-03D)	240-127872-A-4	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
ISWP-004 (GC-04D)	240-127872-A-5	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
ISWP-005 (GC-05D)	240-127872-A-6	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
ISWP-006 (GC-06D)	240-127872-A-7	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
ISWP-007 (GC-09D)	240-127872-A-8	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
ISWP-009 (GC-11D)	240-127872-A-9	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
US01	240-127872-A-10	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____